

Order form **LEVO LAE** 2011/1

Please answer the following questions exactly and consider the indications. The exact measurement within the pictograms allows for a correct configuration and facilitates the final adjustment with the customer.

= please mark = Standard configuration ⓘ = following note



Total height: _____ cm **Diagnosis** Paraplegia Quadriplegia Hemiplegia
 Weight: _____ kg Multiple Sclerosis Muscl. Dystrophy Cerebral Palsy
 Date of birth: _____ Other: _____
 Sex: F / M _____

Reasons for purchasing a LEVO


Practical / Functional <input type="checkbox"/> Only for standing <input type="checkbox"/> Use as primary wheelchair <input type="checkbox"/> Use at home <input type="checkbox"/> Use as secondary wheelchair <input type="checkbox"/> Use at work / school <input type="checkbox"/> Other: _____	Medical / Therapeutical <input type="checkbox"/> Decubitus <input type="checkbox"/> Contractures <input type="checkbox"/> Spasms <input type="checkbox"/> Digestion <input type="checkbox"/> Bladder problems <input type="checkbox"/> Osteoporosis <input type="checkbox"/> Circulation <input type="checkbox"/> Pain (postural pain) <input type="checkbox"/> Other: _____
---	---

How did you first hear of LEVO? <input type="checkbox"/> Dealer <input type="checkbox"/> Therapie <input type="checkbox"/> Friends/Known <input type="checkbox"/> Advertisement <input type="checkbox"/> Doctor <input type="checkbox"/> Internet <input type="checkbox"/> Other: _____	Financing <input type="checkbox"/> Accident Insurance <input type="checkbox"/> Old-age Insurance <input type="checkbox"/> Work Insurance <input type="checkbox"/> Social Security <input type="checkbox"/> Private Insurance <input type="checkbox"/> Charity <input type="checkbox"/> Pay self <input type="checkbox"/> Name: _____
---	--

Standard Configuration

- Seat- and back upholstery
- One arm drive right or left
- Two piece flip up footrest
- Pneumatic rear wheels
- Fold down backrest / angle adjustable
- Chest strap and knee support

1. Upper leg length



Measure in sitting position the distance between the rear point of the bottom and the hollow of the knee.

S - M (adjustable for upper leg length 35 - 48 cm)

35 cm ← → 48 cm

◆ S = 35 cm (Art. Number)

◆ M = 48 cm (Art. Number)

L - XL (adjustable for upper leg length 48 - 63 cm)

49 cm ← → 63 cm

◆ L = 52 cm (Art. Number)

◆ XL = 63 cm (Art. Number)



Attention: Do not confound with the seat depth which is 6-8 cm shorter !

2. Hip size



Measure in sitting position the outermost points from the bottom or thigh.

35 cm ← → 48 cm

Seat width:


- | | | |
|-------|---------------|--|
| 35 cm | (Art. Number) | <input type="checkbox"/> |
| 38 cm | (Art. Number) | <input type="checkbox"/> |
| 40 cm | (Art. Number) | <input type="checkbox"/> |
| 42 cm | (Art. Number) | <input type="checkbox"/> |
| 45 cm | (Art. Number) | <input type="checkbox"/> |
| 48 cm | (Upcharge) | (Art. Number) <input type="checkbox"/> |

with chest strap "Bodypoint" 150 cm long / 6 cm wide (Art. Number)

with chest strap "Bodypoint" 180 cm long / 8 cm wide (Art. Number)

(Standard for seat width 45-48 cm)

3. Lower leg length



Please consider the height of the cushion.

The LEVO cushion increases the distance from the seat to the footplate by 3 cm / 1.2". For the measuring **Shoes** should be worn.

36 cm ← → 56 cm

Depending on the lower leg length, you can choose between two or three different seat heights. The selected seat height affects the wheel size and thus also the possibility to drive under the table, but also the user's expenditure of energy.

Footrest position:

- | | | | |
|----------------|-------|---------------|--------------------------|
| Seat height 48 | 36 cm | (Art. Number) | <input type="checkbox"/> |
| Seat height 51 | 38 cm | (Art. Number) | <input type="checkbox"/> |
| Seat height 54 | 40 cm | (Art. Number) | <input type="checkbox"/> |
| Seat height 57 | 42 cm | (Art. Number) | <input type="checkbox"/> |
| | 44 cm | (Art. Number) | <input type="checkbox"/> |
| | 46 cm | (Art. Number) | <input type="checkbox"/> |
| | 48 cm | (Art. Number) | <input type="checkbox"/> |
| | 50 cm | (Art. Number) | <input type="checkbox"/> |
| | 52 cm | (Art. Number) | <input type="checkbox"/> |
| | 54 cm | (Art. Number) | <input type="checkbox"/> |
| | 56 cm | (Art. Number) | <input type="checkbox"/> |




Calculation example: lower leg length 51.0 cm
 minus cushion height -3.0 cm
Footrest position 48.0 cm Choose between seat height 51/54 and 57 cm

4. Seat - floor height front (rear) without cushion

- | | | | |
|---------------------------|------------|---------------|--|
| Rear wheel 22", castor 5" | 48 (45 cm) | (Art. Number) | <input type="checkbox"/> |
| Rear wheel 24", castor 5" | 51 (47 cm) | (Art. Number) | <input type="checkbox"/> |
| Rear wheel 24", castor 5" | 54 (49 cm) | (Art. Number) | <input type="checkbox"/> |
| Rear wheel 26", castor 6" | 57 (52 cm) | (Upcharge) | (Art. Number) <input type="checkbox"/> |

5. Backrest height



Distance between seating surface and the lower blade bone.

Standard Backrest:

◆ 31 cm 33 cm 35 cm 37 cm 39 cm 41 cm

Option:

Backrest extension 15 cm

V-Trak Standard Backrest, 40 cm/16" high

V-Trak Medium Backrest, 60 cm/24" high *

V-Trak High Backrest, 80 cm/31.5" high *

V-Trak Axxis Reduced Height Backrest, 31 cm/12" high

V-Trak Axxis Low Backrest, 40 cm/16" high

V-Trak Axxis High Backrest, 61 cm/24" high

V-Trak Backrest extension, 20 cm

* Track extension at headrest use

(Price)	(Art. Number)	<input type="checkbox"/>
(Upcharge)	(Art. Number)	<input type="checkbox"/>
(Upcharge)	(Art. Number)	<input type="checkbox"/>
(Upcharge)	(Art. Number)	<input type="checkbox"/>
(Upcharge)	(Art. Number)	<input type="checkbox"/>
(Upcharge)	(Art. Number)	<input type="checkbox"/>
(Upcharge)	(Art. Number)	<input type="checkbox"/>
(Price)	(Art. Number)	<input type="checkbox"/>

6. Backrest angle

85° ◆ 90° 95°

7. Stand-up operation




Since 2007 only one-hand operation available!

◆ right left

8. Footplate angle (as a standard adjustable into all three positions)

80° ◆ 90° 100°

9. Rear wheel position



Position S Position M Position L Position XL



The shorter the wheel base is, the more dynamical is the handling of the wheel-chair, but also the tilt risk is increased. For example, you can choose for wheelchair size "L" the rear wheel position "M". In this case anti-tip aid are recommended.

10. Gas springs



The stronger the gas springs are, the more support you have when standing up, but also more resistance to sit down.

For body weight: 40-60 kg/88-132 pounds 400 N (Art. Number)

For body weight: 60-80 kg/132-176 pounds 500 N (Art. Number)
(Standard for seat depth M)

For body weight: 80-100 kg/176-220 pounds 600 N (Art. Number)
(Standard for seat depth L)

For body weight: 100-120 kg/220-264 pounds 700 N (Art. Number)
(Standard for seat depth XL)

11. Frame colors

platinum	(Art. Number)	<input type="checkbox"/>
red	(Art. Number)	<input type="checkbox"/>
yellow	(Art. Number)	<input type="checkbox"/>
blue	(Art. Number)	<input type="checkbox"/>
black	(Art. Number)	<input type="checkbox"/>

Other: RAL-No.: _____ (Upcharge) (Art. Number)

red metallise	(Upcharge)	(Art. Number)	<input type="checkbox"/>
green metallise	(Upcharge)	(Art. Number)	<input type="checkbox"/>
blue metallise	(Upcharge)	(Art. Number)	<input type="checkbox"/>
silver metallise	(Upcharge)	(Art. Number)	<input type="checkbox"/>

orange reflex	(Upcharge)	(Art. Number)	<input type="checkbox"/>
lemon reflex	(Upcharge)	(Art. Number)	<input type="checkbox"/>
silver reflex	(Upcharge)	(Art. Number)	<input type="checkbox"/>
aluminium polished	(Upcharge)	(Art. Number)	<input type="checkbox"/>

12. Knee wedge



Knee supports are only delivered extra strong. Stabilization is removable.

Rectangular (Standard)

	50x100	(Art. Number)	<input type="checkbox"/>
	60x100	(Art. Number)	<input type="checkbox"/>
	80x100	(Art. Number)	<input type="checkbox"/>
	50x150	(Art. Number)	<input type="checkbox"/>
	80x150	(Art. Number)	<input type="checkbox"/>

Conical (Option)

	50-100x100	(Upcharge)	(Art. Number)	<input type="checkbox"/>
	90-140x100	(Upcharge)	(Art. Number)	<input type="checkbox"/>
	130-180x100	(Upcharge)	(Art. Number)	<input type="checkbox"/>

The conical knee wedges give more support, especially with spasticity.

13. Options

Armrest colors

black	---	(Art. Number)	<input type="checkbox"/>
platinum	(Upcharge)	(Art. Number)	<input type="checkbox"/>
red	(Upcharge)	(Art. Number)	<input type="checkbox"/>
yellow	(Upcharge)	(Art. Number)	<input type="checkbox"/>
blue	(Upcharge)	(Art. Number)	<input type="checkbox"/>

Other: RAL-No.: _____ (Upcharge) (Art. Number)

red metallise	(Upcharge)	(Art. Number)	<input type="checkbox"/>
green metallise	(Upcharge)	(Art. Number)	<input type="checkbox"/>
blue metallise	(Upcharge)	(Art. Number)	<input type="checkbox"/>
silver metallise	(Upcharge)	(Art. Number)	<input type="checkbox"/>

orange reflex	(Upcharge)	(Art. Number)	<input type="checkbox"/>
lemon reflex	(Upcharge)	(Art. Number)	<input type="checkbox"/>
silver reflex	(Upcharge)	(Art. Number)	<input type="checkbox"/>
aluminium polished	(Upcharge)	(Art. Number)	<input type="checkbox"/>

Legrest removable for transport



The benefit of being able to remove leg rest by quick release is, to reduce the volume for transportation.

(Upcharge) (Art. Number)

One-piece footrest fix, no flip-up feature






























----- (Art. Number)

One-piece footrest, flip-up backwards



(Upcharge) (Art. Number)

Seat depth / Footrest quick adjustment (Set: 10 Clips, 4 Screws)					
		Is suitable for demo chairs especially, which are used for different clients.		(Upcharge)	(Art. Number) <input type="checkbox"/>
Footrest height adapter					
		SB: 35, 38, 45, 48 cm SB: 40, 42 cm *	Pair Pair	(Upcharge)	(Art. Number) <input type="checkbox"/> (Upcharge) (Art. Number) <input type="checkbox"/>
		Especially for users with short lower leg length. The footrest becomes 3 cm narrower than the seat width.			
		* Only possible with "one-piece footplate" .			
Non-Slip surface					
		Available for standard footrest (two piece flip-up), but also for one piece footrest fix.		(Upcharge)	(Art. Number) <input type="checkbox"/>
Rear wheels with airless tyres					
		Standard: Air tyres with aluminium hand ring.		(Upcharge)	(Art. Number) <input type="checkbox"/>
Rear wheels with Marathon Plus (black)					
		Standard: Air tyres with aluminium hand ring. Not to be combined with airless tyres!		(Upcharge)	(Art. Number) <input type="checkbox"/>
Rear wheels with hub locking brake					
		Operation without additional energy. It does not depend on the tyre air pressure. Less frame weight for transportation.		(Upcharge)	(Art. Number) <input type="checkbox"/>
		Only on standard wheel and without camber possible!			
Rear wheels with drum breaks					
		Possibility for assistants to stop the wheelchair, safe and comfortable.		(Upcharge)	(Art. Number) <input type="checkbox"/>
		Cannot be combined with the option of Spinergy, Camber or one arm drive.			
Rear wheels "Spinergy"					
		Light weight, improved driving performance, easy to clean and better design.	red black white	(Upcharge)	(Art. Number) <input type="checkbox"/> (Upcharge) (Art. Number) <input type="checkbox"/> (Upcharge) (Art. Number) <input type="checkbox"/>
		Cannot be combined with hub locking brake, drum brakes and one arm drive.			
Camber					
		Improved driving performance and agility. Totally width is slightly increased.	3° 6°	(Upcharge)	(Art. Number) <input type="checkbox"/> (Upcharge) (Art. Number) <input type="checkbox"/>
		Cannot be combined with hub locking brakes, drum brakes and one arm drive.			
Steel hand ring					
		Increased grip, less temperature-sensitive and less dirty hands.	Pair	(Upcharge)	(Art. Number) <input type="checkbox"/>
Maxgrepp (Hand ring with rubber covered)					
	Original		Pair	(Upcharge)	(Art. Number) <input type="checkbox"/>
	Ergo Para CP				
		Better hold for persons with limited strength or grip.	Pair	(Upcharge)	(Art. Number) <input type="checkbox"/>
One arm drive					
		For stroke patients or people with unilateral limited force or grip.	right left	(Upcharge)	(Art. Number) <input type="checkbox"/> (Upcharge) (Art. Number) <input type="checkbox"/>
		Only possible with standard wheel.			

14. Accessory

Foam seat cushion with seat cushion cover



S 29 cm depth
M 38 cm depth
L 43 cm depth
XL 52 cm depth

(Price)	(Art. Number)	<input type="checkbox"/>
(Price)	(Art. Number)	<input type="checkbox"/>
(Price)	(Art. Number)	<input type="checkbox"/>
(Price)	(Art. Number)	<input type="checkbox"/>

additional seat cushion cover

(Price)	(Art. Number)	<input type="checkbox"/>
---------	---------------	--------------------------

Table tray



Only possible with backrest of LCEV. When ordering with chair, the LCEV back is included!

(Price)	(Art. Number)	<input type="checkbox"/>
---------	---------------	--------------------------

Push handle



Push handle

Pair

(Price)	(Art. Number)	<input type="checkbox"/>
---------	---------------	--------------------------



Push handle extension adjustable

Pair

(Price)	(Art. Number)	<input type="checkbox"/>
---------	---------------	--------------------------



Helpful if the wheelchair is pushed by different persons.

Anti-tip



Anti-tip rolls

right
left

(Price)	(Quantity)	(Art. Number)	<input type="checkbox"/>
(Price)	(Quantity)	(Art. Number)	<input type="checkbox"/>



Anti-tip aid / tip aid swing away "HC"

right
left

(Price)	(Quantity)	(Art. Number)	<input type="checkbox"/>
(Price)	(Quantity)	(Art. Number)	<input type="checkbox"/>

XL adapter

(needed for rear wheel position XL)

right
left

(Price)	(Quantity)	(Art. Number)	<input type="checkbox"/>
(Price)	(Quantity)	(Art. Number)	<input type="checkbox"/>



Tip aid

right
left

(Price)	(Quantity)	(Art. Number)	<input type="checkbox"/>
(Price)	(Quantity)	(Art. Number)	<input type="checkbox"/>

Foot guide



Individually adjustable. Allows a better foot position and foot stability.

small right
small left

(Price)	(Art. Number)	<input type="checkbox"/>
(Price)	(Art. Number)	<input type="checkbox"/>

large right
large left

(Price)	(Art. Number)	<input type="checkbox"/>
(Price)	(Art. Number)	<input type="checkbox"/>

Brake lever extension (6 cm/2.4")



Simpler accessibility and less strength necessary.

right
left

(Price)	(Art. Number)	<input type="checkbox"/>
(Price)	(Art. Number)	<input type="checkbox"/>

Spoke guard



Spoke guard "Transparent"

right
left

(Price)	(Art. Number)	<input type="checkbox"/>
(Price)	(Art. Number)	<input type="checkbox"/>

Spoke guard "Transparent with LEVO-Logo"

right
left

(Price)	(Art. Number)	<input type="checkbox"/>
(Price)	(Art. Number)	<input type="checkbox"/>

Vehicle tie-down kit (incl. frame reinforcement)



Fixed attachment points for chair transport in the car. Frame reinforcement is integrated.

(Price)	(Art. Number)	<input type="checkbox"/>
---------	---------------	--------------------------

Frame reinforcement for e-fix or the transportation of persons in wheelchair



Wheelchairs with e-fix need frame reinforcement. You can only have this combined with anti-tip aid "HC" and **not** with anti-tip rolls or tip aid.

(Price)	(Art. Number)	<input type="checkbox"/>
---------	---------------	--------------------------

At option V-Trak:

V-Trak Thoracic support & pad



- V-Trak Thoracic support & pad & cover large right
- V-Trak Thoracic support & pad & cover large left
- V-Trak Thoracic support & pad & cover medium right
- V-Trak Thoracic support & pad & cover medium left

(Price)	(Quantity)	(Art. Number)	<input type="checkbox"/>
(Price)	(Quantity)	(Art. Number)	<input type="checkbox"/>
(Price)	(Quantity)	(Art. Number)	<input type="checkbox"/>
(Price)	(Quantity)	(Art. Number)	<input type="checkbox"/>

V-Trak Headrest (incl. Trak extension)



- V-Trak Headrest winged
- V-Trak Headrest simple

(Price)	(Art. Number)	<input type="checkbox"/>
(Price)	(Art. Number)	<input type="checkbox"/>

Additional information (ev. diagram):

Total: _____

Order No:

Date:

LEVO-Dealer:

Client: